


EXTERIOR

UNSER LICHTEINFALL DEFINIERT LEBENSÄRÄUME

LED INTERIEUR EXCLUSIV





Model: MDD-1018

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx12
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L63/W28/H100cm



Model: MB-1018/A

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx6
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L52/W12/H7.5cm



Model: MB-1018/B

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx3
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L31/W12/H7.5cm

Model: LDD-1018


- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx6
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L30/W18/H142.5cm



Model: TD-1018

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx6
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L30/W15/H52.5cm





Model: MDD-1005/B

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx6
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L60/W4/H100cm

Model: MB-1005/C

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx8
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L105/W8/H4cm




Model: MB-1005/B

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx3
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L35/W12/H4cm



Model: TD-1005

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx3
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L31/W15/H42cm



Model: LDD-1005

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx3
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L40/W21/H163cm

Model: LDD-1002

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White



- Size: Dia33/H162cm

Model: TD-1002

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White



- Size: Dia19.5/H448cm



Model: MB-1027

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



- Size: L28/W19/H26cm



Model: MB-1028

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White



- Size: L31/W19/H28.5cm



Model: MB-1029

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



- Size: L43/W10/H6cm



Model: LDD-1027

- IP: 100-240V/ac 50/60Hz
- OIP: 350mA / 700mA Constant current
- Power: 3Wx1 / 3Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia28/H175cm



Model: TD-1027

- IP: 100-240V/ac 50/60Hz
- OIP: 700mA Constant current
- Power: 3Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White



- Size: Dia 18 / H58cm




Model: TD-1027/A

- IP: 100-240V/ac 50/60Hz
- OIP: 700mA Constant current
- Power: 3Wx2 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White



- Size: Dia 18/H58cm





Model: MB-1031

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White



- Size: L30/W30/H45cm



Model: TD-1028

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White



- Size: Dia20/H45cm




Model: TD-1029

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White



- Size: L20/W14/H58cm



Model: MB-1033

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White



- Size: L20/W23/H48cm



Model: MB-1032

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White




- Size: L18/W19/H53cm



Model: TD-1025

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White


• Size: Dia 18/H48cm



Model: TD-1024

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White

• Size: L18/W10/H48cm



Model: MB-1066

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White

• Size: L 18/W22/H68cm



Model: MB-1067

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1 / E27 Max 1x40W
- Color: White/Warm-White/Natural-White

• Size: L 18/W22/H68cm



Model: MB-1062

- IP: 100-240V/ac, 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



- Size: L23/W8.2/H4.5cm



Model: MB-1058

- IP: 100-240V/ac, 50/60Hz
- O/P: 350mA/700mA Constant current
- Power: 6Wx2/3Wx2
- Color: White/Warm-White/Natural-White



- Size: L 120/W15/H6cm





Model: MB-1052

- IP: 100-240Vac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx2
 - Color: Warm/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L6/W30/H30cm



Model: MB-1053

- IP: 100-240Vac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx2
 - Color: Warm/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
| | | | |
| | | | |
- Size: L6/W15/H15cm

- Model: MB-1064**
- IP: 100-240V/ac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
- Size: L4/W30/H30cm



- Model: MB-1063**
- IP: 100-240V/ac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
- Size: Dia 7/W30/H30cm

- Model: MB-1051**
- IP: 100-240V/ac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
- Size: Dia 9/W35cm



- Model: MB-1023/A**
- IP: 100-240V/ac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx1
 - Color: White/Warm-White/Natural-White
- | | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
- Size: L6/W30/H12cm

- Model: MB-1023/B**
- IP: 100-240V/ac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx2
 - Color: White/Warm-White/Natural-White
- | | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
- Size: L22/W30/H30cm



- Model: MB-1023/C**
- IP: 100-240V/ac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx2
 - Color: White/Warm-White/Natural-White
- | | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
- Size: L12/W20/H20cm





Model: MB-1022/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L6/W18/H12cm



Model: MB-1022/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L22/W40/H6cm



Model: MB-1021/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L6/W30/H12cm



Model: MB-1021/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L22/W40/H6cm




Model: MB-1065

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: 4W
- Color: White/Warm-White

SMD	IP20	180°	350°	Alu/ Acryl

- Size: L10/W30/H30cm



Model: TD-1026

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: 4W
- Color: White/Warm-White

SMD	IP20	180°	350°	Alu/ Acryl

- Size: L63/W19/H58cm





MB-1033

MB-1034

MB-1037

Model: MB-1034

- IP: 100-240Vac 50/60Hz
- OIP: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia5/H30cm



Model: MDD-2205

- IP: 100-240Vac 50/60Hz
- OIP: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia7/H100cm

Model: MDD-2202

- IP: 100-240Vac 50/60Hz
- OIP: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White




- Size: L33/W4/H100cm

Model: MDD-2203

- IP: 100-240Vac 50/60Hz
- OIP: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia7/H100cm



Model: MDD-1030/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White




- Size: L60/W5/H100cm

Model: MDD-1030/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White



- Size: L96/W5/H100cm



Model: MB-1030

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L50/W5/H5cm

EXTERIOR

UNSER LICHTEINFALL DEFINIERT LEBENSÄRÄUME



Model: MDD-1057

- IP: 100-240Vac 50/60Hz
- C/P: 700mA Constant current
- Power: 3Wx6
- Color: Warm-White/Natural-White



- Size: L100/W8/H120cm



Model: MDD-1056

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx2
- Color: White/ Warm-White/ Natural-White



- Size: L12/W4/H55cm



Model: MDD-1055

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/ Warm-White/ Natural-White



- Size: Dia5/L52cm



Model: MB-2019/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White

- Size: L21.5/W11.5/H4cm



Model: MB-2019/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White

- Size: L30/W11.5/H4cm



Model: MB-2020/A

- IP: 100-240Vac 50/60Hz
- O/P: 100mA Constant current
- Power: 3Wx2
- Color: White/Warm-White/Natural-White

- Size: L21.5/W12.5/H4cm



Model: MB-2020/B

- IP: 100-240Vac 50/60Hz
- O/P: 100mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White

- Size: L30/W12.5/H4cm

Model: LDD-1001


- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

- Size: L25/W35/H168cm

Model: TD-1001

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

- Size: L42/W15/H48cm





- Model: MB-2018/A**
- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx2
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L21.5/W12.5/H4cm



- Model: MB-2018/B**
- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx2
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L30/W12.5/H4cm




- Model: TD-2017**
- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx2
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L42/W20/H35cm



- Model: MB-1001**
- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx1
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L10/W15/H38cm



- Model: TD-1001/B**
- IP: 100-240Vac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | |
|--|--|--|--|
| | | | |
| | | | |
- Size: L42/W12/H45cm



Model: MDD-2013

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White




- Size: Dia56/H120cm

Model: MDD-2016

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White



- Size: Dia60/H120cm




Model: MDD-2010

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White



- Size: L50/W50/H120cm




Model: MDD-2014

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White



- Size: Dia60/H120cm





Model:MDD-2015

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White




- Size: L70/W38.5/H120cm

Model:MDD-2012

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx8
- Color: White/Warm-White/Natural-White



- Size: L93/W12/H120cm



Model:MDD-1001/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx12
- Color: White/Warm-White/Natural-White




- Size: L60/W20/H120cm


Model:MDD-2011

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx18
- Color: White/Warm-White/Natural-White



- Size: L93/W30/H120cm





Model: MDD-1001/B

- IP: 100-240V/50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White



- Size: Dia:48/H:120cm



EXTERIOR

UNSER LICHTEFALL DEFINIERT LEBENSÄRÄUME



Model: MB-1025

- IP: 100-240V ac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: Warm-White/Natural-White
- | | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: L:35/W:8/H:12cm



Model: MB-1026

- IP: 100-240V ac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: Warm-White/Natural-White
- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: L:9/W:15/H:12cm



Model: TD-1022

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



- Size: L44/W6/H42cm



Model: TD-1022/A

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



- Size: L44/W10/H42cm



Model: TD-1023

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



- Size: L58/Dia 16/H48cm



Model: MB-1042

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White

- Size: L12/W20/H20cm



Model: MB-1041

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White

- Size: L6/W30/H12cm



Model: MB-1040

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White


- Size: Dia7/W13cm



Model: MB-1050

- IP: 100-240Vac 50/60Hz
- O/P: 100mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

- Size: Dia70/W14.5cm



Model: MB-1038

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

- Size: Dia7/W30/H30cm



Model: MB-1039

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

- Size: Dia7/W30/H30cm

EXTERIOR

UNSER LICHTEFALL DEFINIERT LEBENSÄUßERE



Model: MB-1054

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx2
- Color: White/Warm-White/Natural-White



- Size: L6/W3/H7cm

Model: MB-1059

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx2
- Color: White/Warm-White/Natural-White



- Size: L9/W3.5/H9cm



Model: CL-112

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia5/H2cm



Model: CL-110

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L4/W6/H3.5cm




Model: CL-111

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L5/W5/H5cm

REFINED DECORATION LIGHTING



Model:CL-113/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L6.5/W8.2/H4.5cm



Model:CL-113/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L13.5/W8.2/H4.5cm



Model:CL-113/C

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



- Size: L23.5/W8.2/H4.5cm



Model:CL-114/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L6.2/W8.2/H4.5cm




Model:CL-114/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L13.5/W8.2/H4.5cm



Model: MB-1060/B

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 160mA
- Power: 4W
- Color: White/Warm-White

SMD	IP20	90°	Alu

• Size: L33/W5.5/H2.6cm

Model: MB-1060/A

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 320mA
- Power: 8W
- Color: White/Warm-White

SMD	IP20	90°	Alu

• Size: L62/W5.5/H2.6cm

Model: MB-1069/A

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 240mA
- Power: 4.5W
- Color: White/Warm-White

SMD	IP20	Alu

• Size: L92/W1.5/H1.5cm



Model: MB-1061/C

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 180mA
- Power: 4W
- Color: White/Warm-White

SMD	IP20	Alu

• Size: L32/W0.8/H2.4cm



Model: MB-1061/B

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 300mA
- Power: 8W
- Color: White/Warm-White

SMD	IP20	Alu

• Size: L62/W0.8/H2.4cm



Model: MB-1061/A

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 500mA
- Power: 12W
- Color: White/Warm-White

SMD	IP20	Alu

• Size: L92/W0.8/H2.4cm





Model: CL-225

- IP: 100-240Vac 50/60Hz
- OVP: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



- Size: Dia6.5/H5.5cm

Model: MB-1068/B

- IP: 100-240Vac 50/60Hz
- OVP: DC24V 160mA
- Power: 4W
- Color: White/Warm-White




- Size: 1.32/W2/H3.5cm

Model: MB-1068/A

- IP: 100-240Vac 50/60Hz
- OVP: DC24V 320mA
- Power: 8W
- Color: White/Warm-White



- Size: 1.62/W2/H3.5cm





Model: CL-234

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



• Size: L12/W12/H9cm



Model: CL-232

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



• Size: L10/W10/H9cm



Model: CL-230

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



• Size: Dia10/H9cm



Model: CL-233

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



• Size: Dia12/H9cm



Model: CL-231

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



• Size: Dia10/H8cm



Model: CL-228

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 320mA
- Power: 7W
- Color: White/Warm-White



• Size: Dia17/H6cm



Model: CL-227

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 320mA
- Power: 7W
- Color: White/Warm-White



• Size: Dia15/H6cm



Model: CL-229

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 320mA
- Power: 7W
- Color: White/Warm-White



• Size: Dia21/H6cm



Model: CL-226

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 240mA
- Power: 5W
- Color: White/Warm-White



• Size: Dia13/H6cm



CL-211



CL-210



CL-213



CL-215



CL-212



CL-214



CL-216



Model: CL-216

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



• Size: Dia: 5.2/14.5cm

Model: CL-219

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White



• Size: Dia: 6/17cm



Model:GD-A2

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: E27/4W
- Color: White/Warm-White
- SMD LED

Model:GD-A1

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: E27/4W
- Color: White/Warm-White
- SMD LED



Model:GD-P20

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: E27/4W
- Color: White/Warm-White
- SMD LED

Model:GD-P20H27

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: E27/4W
- Color: White/Warm-White
- SMD LED

Model:GD-P38

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 300mA
- Power: E27/7W
- Color: White/Warm-White
- SMD LED

Model:GD-P30

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 300mA
- Power: E27/7W
- Color: White/Warm-White
- SMD LED

Model:GD-P20S

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 160mA
- Power: E27/4W
- Color: White/Warm-White
- SMD LED

Model:GD-M16

- IP: 100-240Vac 50/60Hz
- O/P: DC12V 160mA
- Power: G5.3/4W
- Color: White/Warm-White
- SMD LED



Model:CL-80501

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 180mA
- Power: 4W
- Color: White/Warm-White



- Size: Dia 14.8/H:6.5cm



Model:CL-80443

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 300mA
- Power: 7W
- Color: White/Warm-White



- Size: Dia 17.6/H:6.5cm





Model: A889

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: L7/W5/H3.5cm



Model: A895

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L14/W7/H3.5cm



Model: CL-217A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx2
- Color: White/Warm-White/Natural-White



- Size: L14/W5/H4.5cm



Model: A1479

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx4
- Color: White/Warm-White/Natural-White



- Size: L14/W14/H3.5cm



Model: A901

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



- Size: L21/W7/H3.5cm



Model: CL-218/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White



- Size: L21/W5/H4.5cm



Model: A297

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia6.8/H3.5cm



Model: A993

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia6.8/H3.5cm



Model: A995

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia6.8/H3.5cm



Model: A628

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx1
- Color: White/Warm-White/Natural-White



- Size: Dia6.8/H3.5cm



Model: A991

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia 8.3/H3.5cm



Model: A390

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia 8.3/H3.5cm



Model: A35

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia 8.3/H3.5cm



Model: A883

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 500mA
- Power: 3Wx4
- Color: White/Warm-White



• Size: L17.5/W17.5/H3.5cm



Model: A308

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3Wx1
- Color: White/Warm-White



• Size: L9.5/W9.5/H3.5cm



Model: A26

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia 8.3/H3.5cm



Model: A135

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia 9.3/H3.5cm



Model: A32

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia 8.3/H3.5cm



Model: A1273

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: Dia8.3/H3.5cm



Model: A864

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 240mA
- Power: 3Wx2
- Color: White/Warm-White



• Size: L17.5/W9.5/H3.5cm



Model: A867

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 300mA
- Power: 3Wx3
- Color: White/Warm-White



• Size: L26/W9.5/H3.5cm



Model: A870

- IP: 100-240V/ac 50/60Hz
- O/P: DC24V 480mA
- Power: 3Wx4
- Color: White/Warm-White



• Size: L34/W9.5/H3.5cm




Model: TD-1012/A

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

• Size: Dia 15/H45cm



Model: TD-1006

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

• Size: L12/W10/H35cm



Model: TD-1008

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx1
- Color: White/Warm-White/Natural-White

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

• Size: L12/W10/H45cm

EXTERIOR

UNSER LICHTEFALL DEFINIERT LEBENSRAUME



Model:C10

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 340mA
- Power: 7W
- Color: White/Warm-White



• Size: L17/W17H4cm




Model:CL-314

- IP: 100-240Vac 50/60Hz
- O/P: DC24V 120mA
- Power: 3W
- Color: White/Warm-White



• Size: L8.2/W8.2H4.5cm



Model: LDD-1003

- IP: 100-240Vac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: Dia19.5/H160cm



Model: TD-1003

- IP: 100-240Vac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: Dia16/H52cm



Model: MDD-2201

- IP: 100-240Vac 50/60Hz
 - O/P: 700mA Constant current
 - Power: 3Wx1
 - Color: White/Warm-White/Natural-White
- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: Dia7/H100cm



Model: MB-1024/A

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx1
 - Color: White/Warm-White/Natural-White
- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: L6/W30/H12cm

Model: MB-1024/B

- IP: 100-240Vac 50/60Hz
 - O/P: 350mA Constant current
 - Power: 1Wx2
 - Color: White/Warm-White/Natural-White
- | | | | |
|--------------------------|--------------------------|--------------------------|--------------------------|
| | | | |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
- Size: L22/W30/H30cm





Model: TD-1021/A

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White

95°	IP20	360°	360°	Alu/ Iron			

- Size: Dia17/W28/H48cm



Model: TD-1021

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White

95°	IP20	360°	360°	Alu/ Iron			

- Size: Dia20/W85/H48cm



Model: LDD-1021

- IP: 100-240Vac 50/60Hz
- O/P: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White

95°	IP20	360°	360°	Alu/ Iron			

- Size: Dia24.5/W85/H48cm





Model: MDD-1020

- IP: 100-240V/ac 50/60Hz
- O/P: 350mA Constant current
- Power: 11Wx12
- Color: White/Warm-White/Natural-White




- Size: L42/W10/H100cm

Model: MDD-1021

- IP: 100-240V/ac 50/60Hz
- O/P: 350mA Constant current
- Power: 11Wx12
- Color: White/Warm-White/Natural-White



- Size: L72/W26/H100cm





Model: MB-1020/A

- IP: 100-240Vac 50/60Hz
- CIP: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White



- Size: Dia10/W22/H4cm

Model: MB-1020/B

- IP: 100-240Vac 50/60Hz
- CIP: 350mA Constant current
- Power: 1.5x6
- Color: White/Warm-White/Natural-White



- Size: L30/W22/H4cm



Model: LDD-1020

- IP: 100-240Vac 50/60Hz
- CIP: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White



- Size: Dia19.5/H175cm



Model: TD-1020

- IP: 100-240Vac 50/60Hz
- CIP: 700mA Constant current
- Power: 3Wx3
- Color: White/Warm-White/Natural-White



- Size: Dia16/H68cm



Model: LDD-1019

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White

- Size: L20/W16/H142cm

Model: TD-1019

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White

- Size: L16/W12/H52cm



Model: MB-1019/C

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx3
- Color: White/Warm-White/Natural-White

- Size: L34/W4.5/H2.6cm

Model: MB-1019/B

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White

- Size: L70/W4.5/H2.6cm

Model: MB-1019/A

- IP: 100-240Vac 50/60Hz
- O/P: 350mA Constant current
- Power: 1Wx6
- Color: White/Warm-White/Natural-White

- Size: L94/W4.5/H2.6cm

